

The Symons Soldier system is a lightweight, yet extremely strong, construction beam system that is adaptable to almost any forming or shoring configuration with standard, rentable components and accessories.




The Symons Soldier system is a lightweight, yet extremely strong, construction beam system with virtually unlimited application possibilities.

Symons developed a unique hole pattern which makes the Symons Soldier adaptable to almost any forming or shoring configuration with standard components and accessories.

Versatility

The unique hole pattern and



Simplicity

The ability to bolt to all the flanges adds to the efficiency of the Soldier. When bolted end-to-end as a continuous beam, the connection develops the full strength of the Soldier.

Rentable

Symons Soldier beams and accessories are a rentable system, providing cost savings compared to high-priced lumber components. With Symons Soldiers, unusual requirements can be satisfied with standard components.


Durability

Symons Soldiers are fabricated with high-strength steel to provide high load capacity and long service life. They have a robust strength to weight ratio, resulting in reduced crane capacity requirements.

Practicality

Your next forming or construction dilemma could be solved efficiently with Symons Soldier. Use them as braces, walers, strongbacks, shoring, aligners, trusses or whatever the situation demands.

a complete line of accessories give the Soldier the versatility you expect from Symons. The Soldier system complements the advantages of standard Symons forming systems. No other form supplier can offer such a wide range of product combinations to handle a diversity of applications.



Bracing

Symons Soldiers are ideally suited for diagonal bracing and plumbing. The ability to bolt end-to-end can create bracing lengths to fit your specific project requirement.

One-Sided Forming

Symons Soldier and Symons standard forming systems are used to create tieless one-sided wall forming schemes, providing substantial savings in time and labor costs.



Shoring

Symons Soldier and standard accessories can be combined to make towers that fit the most demanding shoring and deck support applications.




Alignment

Symons Soldier and accessories are designed for use with other Symons forming systems. Symons Soldier and Symons total product capability offers unlimited possibilities for any aligning and support application.

Walers

Symons Soldier beams are ideally suited for any waler application. When bolted to any Symons steel form system, the Symons Soldier has the capacity to handle the tallest gangs.



Symons Soldier beams permit bolting on all four flanges in addition to end and web bolt holes. The flange holes are a combination of holes and slots at 3" centers to provide dimensional adjustment and flexibility.

Symons Soldier Properties


$$I_{xx} = 56.3 \text{ in}^4$$


$$I_{yy} = 27.3 \text{ in}^4$$

Soldier End Plates are high-strength steel, built square to the Soldier beam, enabling the end-to-end bolted connections to develop the full strength of the Soldier beam.


The Symon Soldier is designed to be a compression member. If used as a beam, please consult Dayton Superior prior to design.

Part	Length	Weight
38900	1'-6"	45 lbs.
	457.2 mm	20.41 kg
38903	2'-0"	52 lbs.
	609.6 mm	23.59 kg
38917	3'-0"	67 lbs.
	914.4 mm	30.39 kg
38901	4'-0"	83 lbs.
	1219.2 mm	37.65 kg
38902	8'-0"	148 lbs.
	2438.4 mm	67.13 kg
38904	12'-0"	212 lbs.
	3657.6 mm	96.16 kg





One-Sided Bracket
Used in conjunction with the Wedge and Shear Plates in one-sided wall forming applications, the One-Sided Bracket connects the Soldier beams together at the base of the forms and provides the anchor position.




Pivot Bracket
When bolted to the end of the Soldier Beam, the Pivot Bracket provides the connection between the Soldier beam brace and forming system.




Shore Jack
The jack provides 8" of adjustment in Symons Soldier reshore applications.


45° Bracket
The fixed 45° bracket can be used for diagonal bracing and truss configurations.




Adapter/Spacer
Bolt the 10" swivel wheel for traveling applications or use as a 3" spacer.



Strut Jack with Jack Base
The free-turning nut allows up to 16" adjustment, and the Jack Base pivots.




Riser Bracket
Swivel ability coupled with vertical adjustment meets most stair and seating riser conditions.





Tie Washer Plate
Plate provides bearing surface for ties and nuts in forming applications.

Attachment Angles
Bolt Soldier beams to Max-A-Form® or Versiform® gangs.



Jack Bracket
Bracket is used in one-sided applications for aligning and leveling the support frame and form gang.

Lap Splice Plate
Splice from beam-to-beam in truss applications.



DAYTON SUPERIOR BRANDS

CONCRETE ACCESSORIES

Accubrace®
Aztec®
Bar Lock®
Corewall®
Fleet-Lift™
Swift Lift®
Taper-Lock®

CONSTRUCTION CHEMICALS

Unitex®

FORMING PRODUCTS

Symons®
Max-A-Form®
Steel-Ply®
Sym-Ply®

DAYTON SUPERIOR PRODUCTS

BRIDGE DECK FORMING

Adjustable Joist Hangers
Bridge Overhang Brackets
Haunch and Fillet Forming
Pres-Steel, Coil Rod and Con-Beam
Hangers
Screed Supports

CHEMICALS

Bond Breakers
Cleaners / Strippers
Concrete Repair/Restoration
Curing Compounds / Sealers
Epoxies
Floor Levelers
Form Release Agents
Grout
Hardeners / Industrial Toppings
Liquid Densifiers
Surface Retarders

FORMING AND SHORING

Aluminum Shoring
Ganged Formwork
Garage Beam System
Handset Formwork
Highway Forms
Jump Forms
Modular Deck Shoring
One Sided Frames
Self Spanning Forms
Steel Frame Shoring

FORMLINERS

ABS Plastic
Polystyrene Plastic

PAVING

Dowel Bar Expansion Caps
Dowel Bar Retrofit System
Elastomeric and Hot Pour Joint Seal
Metal Keyway Form Systems
Tie Bar Assemblies
Transverse Bar Assemblies
Welded Dowel Assemblies
Wire Baskets without Dowels

PRECAST

Anchors and Lift Systems
Coil / Ferrule Inserts
Core Plugs
Magnets
Precast Forms
Rustications/Chamfers
Sandwich Panel Connector
Shear Connectors
Slotted Inserts

REBAR SPLICING

Forged Dowel Bar Couplers
Lockshear Bolt Couplers
Shear Resistance Products
Straight Thread Couplers
Taper Thread Couplers

REBAR SUPPORTS

Concrete Dobbies
Continuous Plastic and Steel
Bar Supports
Individual Plastic and Steel
Bar Supports
Mesh Chairs
Paving Chairs
Side Form Spacers

TIES AND ACCESSORIES

Modular Form Ties
Single Waler System
Ties and Accessories

TILT-UP

Braces and Brace Anchors
Helical Ground Anchors
Setting Plugs
Strongback System
Tilt-Up Anchors and Lifting Systems

CONTACT INFORMATION

CORPORATE HEADQUARTERS

1125 Byers Road
Miamisburg, OH 45342
937-866-0711

ACCESSORIES AND CHEMICALS

Customer Service: 888-977-9600
Technical Assistance: 877-266-7732
info@daytonsuperior.com

FORMING PRODUCTS

Customer Service: 800-800-7966
Technical Assistance: 877-266-7732
info@daytonsuperior.com